FAB10LOR6

Type

Product Family	Refrigerator
Installation	Free Standing
Category	One Door
Reference width	Until 60
Reference height	Until 100
Cooling type	Static
Defrost	Automatic for refrigerator, manual for freezer
Door opening flush with the wall	No
Slot-in	No
Hinge type	Standard
Hinge position	Left
Reversible door	No
EAN code	8017709342425

Aesthetics

Aesthetics	50's Style
Colour	Orange
Finishing	Gloss
Design	Rounded
Material	Heat-moulded
Handle kit to be ordered separately	No
Handle	External
Handle type	Fixed
Logo colour	Chrome
Handle colour	Chrome
Side material	Steel
Side colour	Orange
Logo	Applied
Door shelves profile colour	Silver
Colour of glass shelf profile	Silver
Display	No
Dispenser	No
Water Filter	No
HomeBar	No

Refrigerator compartment features

No. of adjustable shelves	1
Number of fruit and vegetables drawers	1
Type of crisper/vegetable drawers cover	Standard
Type of adjustable shelves	Glass
Crisper Cover	Yes
Bottle shelf	No
Type of crisper/vegetable drawers cover	Glass
No. of lights	1
Convertible temperature drawer	No
Life Plus zone-0°C	No
Low temperature compartment	No
Internal light in fridge	Yes
Type of internal light (fridge)	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	0
Number of adjustable door shelves	2
No. of bottle shelves	1

Other Refrigerator features

Natural Plus Blu Light	No
MultiFlow	No
Fan	No
Ionizer	No
Titanium tech	No
Antibacterial odour filter	No
Bio Care Zone	No

Freezer compartment features

Internal freezer compartment	Yes
Internal light in freezer	No

Other technical features

Water network connection	No
Power on lamp	No
Temperature alarm lamp	No
Door open alarm	No
Temperature Alarm	No
Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (gr)	25 g
Foam agent	Cyclopentane
Metal backpanel material	Aluminium Foil

Options

Compatible accessories

Performance / Energy Label

Category of the household refrigerating appliance model	Refrigerator - freezer
Energy efficiency Index EEI	
Fresh Food compartments (Chiller incl.) - Gross Volume	
Climatic class	N, ST, T
Fresh Food compartment - Storage Volume	104.8 l
Total gross volume	118 l
Storage volume frozen food compartment	17 l
4 Star compartment - Star rating	4
Freezing capacity	2.59 Kg/24h
Total storage volume	121.8 l
Thaw time	6 h

Performance / Energy Label NEW

Annual energy consumption	115 kWh/Jahr
Energy efficiency class	D
Airborne acoustical noise emission class	B
Total volume	122 l
Sum of the volumes of the frozen compartment(s)	17 l
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	105 l
Total volume	0 l
Noise level	35 dB(A) re 1pW
Thaw time	6 h
4 star - Freezing capacity	2.6 Kg/24h
Climatic class	N, ST, T
EEI	79 %

Electrical Connection

Nominal power	50 W
Current	0.42 A
Voltage (V)	220-240 V
Frequency (Hz)	50 Hz
Power supply cable length	180 cm

Printed Documents

Sticker	No

Optional accessories

Accessories not included	no

Logistic Information

Width (mm)	545 mm
Depth without handle	659 mm
Product Height with feet	970 mm
Product width with maximum doors opening	842 mm
Product depth with handle	701 mm
Product depth with doors open at 90°	1085 mm

No longer in use

Aesthetics	50's Style
Door colour	Orange

Logistic Information

EAN code	8017709342425
Width (mm)	545 mm
Depth without handle	659 mm
Product Height with feet	970 mm
Product width with maximum doors opening	842 mm
Product depth with handle	701 mm
Product depth with doors open at 90°	1085 mm
Dimensions	970x545x659 mm
Packed width	630 mm
Packaged depth	760 mm
Height (mm) packed	1105 mm
Dimensions of the packed product (mm)	1105X630X760 mm
Quantity per container (20 cf)	
Quantity per container (40 cf)	
Quantity per container (40 HC)	
Net weight (kg)	41.000 kg
Gross weight (kg)	50.000 kg
Maximum stackability	4
Type of packaging	Cardboard
Packaging composition - paper & cardboard	2.686 kg
Packaging composition - polystyrene (kg)	0.547 kg
Packaging composition - wood (kg)	7.184 kg
Packaging composition - plastic (kg)	0.237 kg
Packaging with fumigated wood	Y
Raee Code	F2